





Long Length Siding that Measures Up










Standard 12' Panel

# 16' 4" Means a Minimum of 30% Fewer Seams

## ROYAL WOODLAND

- Long On Coverage 16 Short On Laps
- Royal Woodland 16 premium long length siding requires fewer panels, making installation easier and resulting in fewer seams for a more flawless finish.
- Ideal for homes that are larger or whose surface area is particularly long.
- 3/4" panel butt height enhances shadow lines for a realistic wood look while strengthening overall rigidity of the panel.

- The richness and natural beauty of a low-gloss cedar woodgrain surface.
- Color-through process hides scratches to maintain the panel's freshly painted look.
- Will not peel, flake or chip for lasting beauty and virtually maintenance-free performance.
- Best warranty in the business.



STANDARD COLORS

and Soft Maple

Clockwise from bottom: White, Sand,

Sterling, Linen, Vintage Cream, Driftwood,

Beige, Wicker, Harvard Slate, Heather

COLORSCAPES COLLECTION COLORS

Chesapeake Green and Hampton Blue

Printed colors may

vary slightly from

actual product color.

Clockwise from bottom: Sage, Pebble Clay, Mountain Blue,

Victorian Gray, Champagne, Cypress, Sunflower, Rustic Red,

Heritage Blue, Country Green, Natural Cedar, Charcoal Gray,

White, Linen, Vintage Cream, Sand, Harvard Slate, Sterling,
Wicker, Soft Maple, Cypress, Sage, Pebble Clay, Victorian Gray,
Natural Cedar, Heritage Blue, Country Green and Rustic Red

Shown Bottom Right: Royal Woodland 16
Double 4.5" Traditional and Board & Batten
vertical siding in Sand complemented with
Royal Premium Shutters in Black.

the panels make wall surfaces look higher.

**BOARD & BATTEN COLOR AVAILABILITY** 




The key to the Dura Technology™ Process is Royalside™ Compound, a proven blend of the world's finest raw materials. This blend, together with our exclusive Dura™ impact modifiers and premium ingredients, forms the base for a tougher, longer lasting siding.

Georgia Gulf



## TESTED TO PERFORM



- Heavy gauge (.046") improves structural rigidity for a straight, clean finish that won't warp, buckle or sag.
- Color-through process hides scratches, ensuring your panels keep their freshly painted appearance.
- Will not peel, flake or chip for long lasting beauty and virtually maintenance-free performance.
- The richness and natural beauty of a low-gloss cedar woodgrain surface.
- 3/4" panel but height enhances shadow lines for a realistic wood look while strengthening overall rigidity of the panel.
- Windlok 240 system enables panels to withstand harsh weather conditions as well as hurricane force winds up to 240 mph.\*
- Double rolled nail hem ensures panels are more secure, tighter-fitting and can stand up to the highest standards of structural performance.
- \* In testing, the Royal Woodland 16 installation system achieved a test pressure of 151.49 lb/ft<sup>2</sup>. This equates to a wind speed of 240 mph.



### **Royal Building Products**

**Great Ideas Taking Shape.** 

www.royalbuildingproducts.com



UV tests ensure your siding provides outstanding resistance to fading and discoloring. This advanced color retention is achieved by combining Luran® S ASA, made by BASF, with our innovative Royalside™ Compound and Dura Technology™ Process.







Royal tests its siding against brittleness at temperatures as low as (14°F (-10°C)), ensuring your siding will maintain its superior durability, rigidity and structural integrity under severe weather conditions.



Extensive impact tests are conducted at 73°F (23°C) and 32°F (0°C) to ensure your siding exceeds ASTM standards and can withstand the elements, including hail, under any condition.



Royal is so confident in the superior quality of this product that it is backed by the most powerful non-prorated warranty in the business.





#### MEMBERSHIPS



APPROVALS



### We've Got You Covered

- Exclusive Lifetime, Non-Prorated Warranty
- Fully Transferable to Lifetime Non-Prorated Limited Warranty
- Covers Replacement Materials and Labor
- Lifetime Hail Protection Coverage

(V) CERTIFIED

**ICBO** ER-4923

TEXAS DEPT. OF INSURANCE

LISTING 12244-L



MEA 233-92-M

STANDARD ASTM D3679

AUTHORIZED DEALER